

Safety Data Sheet

Issue date 12-Sep-2023 Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHASE'S HOME VALUE DISINFECTING BATHROOM CLEANER

Chemical name 7-7654-3

Other means of identification

Product code FG 419-0407GHS Synonyms Bathroom and tile cleaner.

Registration number(s) 498-88

Recommended use of the chemical and restrictions on use

Recommended Use To clean and disinfect bathtubs, sinks, shower stalls, walls and tile surfaces.

Uses advised against Avoid spraying directly on varnished or painted surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

708-865-1000

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning

hazard statements

CAUSES SKIN IRRITATION Causes serious eye irritation

Contains gas under pressure; may explode if heated



Appearance Clear liquid that will be

aerosolized. Physical State Foam Aerosol Odor Perfumed.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Specific treatment: See additional cautionary statements on this label.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Hazards not otherwise classified (HNOC)

Other Information

· Harmful to aquatic life with long lasting effects

0% of this mixture consist of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Common NameBathroom Cleaner.SynonymsBathroom and tile cleaner.

Chemical FamilyMIXTURES.Formula7-7654-3

Chemical nature Aqueous solution of organic solvent.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	85-90	*
N-Butane	106-97-8	1-5	*
Q3	NONE	1-5	WPS1147000
Diethylene Glycol Monoethyl Ether	111-90-0	1-5	*
2-Butoxyethanol	111-76-2	1-5	*
ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT	64-02-8	1-5	*
Propane	74-98-6	1-5	*

Chemical Additions

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Inhalation If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get

medical attention if injury develops.

Ingestion Ingestion from an aerosol product is unlikely to occur.

See label for active ingredients information.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Most important symptoms and effects, both acute and delayed

Symptoms Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.

Prolonged and repeated contact with the eyes may cause mild irritation. Chronic:

2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney

damage.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
			TWA: 1900 mg/m ³
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	_

Appropriate engineering controls

Engineering controlsUse with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eyelface Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves, if desired.

Respiratory protection None required if used in a well-ventilated area.

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Foam Aerosol

Appearance Clear liquid that will be aerosolized. Odor Perfumed.

Color Clear Odor threshold No information available

Property
pHValues
12.14Remarks • Method
No information availableMelting point/freezing pointNot applicableNo information available

Boiling point/boiling range Water 212 °F/100 °C No information available **Flash Point** Not applicable. This is an aerosol No information available

product for which Flame Projection is 0

in. with 0 in flashback.

Evaporation Rate Faster than butyl acetate No information available

Flammability (solid, gas)

No information available
Flammability Limits in Air

No information available

Upper flammability limits

Not available

Lower Flammability Limit Not available Vapor pressure

Vapor pressureNo information availableVapor DensityNo information availableRelative Density1.011 concentrateNo information available

Relative Density
1.011 concentrate
No information available in water
Soluble in water

ater Solubling Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

Explosive properties No information available Oxidizing properties No information available

Other Information

Softening pointNo information availableMolecular weightNo information available

 VOC content (%)
 6.03%

 Density
 8.42 lb/gal

Bulk Density No information available

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but

consider unlikely).

Inhalation Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Eye Contact Can cause irritation after contact with eyes.

Skin contact May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Ingestion This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red

blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			

N-Butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Diethylene Glycol Monoethyl Ether 111-90-0	= 10502 mg/kg (Rat)	= 9143 mg/kg (Rabbit)	> 5240 mg/m³ (Rat)4 h
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h
ETHYLENEDIAMINETETRAACETI C ACID TETRASODIUM SALT 64-02-8	= 1658 mg/kg(Rat)	-	-
Propane 74-98-6	-	-	> 800000 ppm (Rat) 15 min

Information on toxicological effects

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and **Symptoms**

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily. Skin corrosion/irritation

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Serious eye damage/eye irritation

corrosivity

sensitization Germ cell mutagenicity

Carcinogenicity

Can cause irritation after contact with the eyes.

Not applicable. No a skin sensitizer. No information available.

Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2		·		

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available.

Aspiration Hazard Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Numerical measures of toxicity - Product Information

0% of this mixture consist of ingredient(s) of unknown toxicity. Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 9812 mg/kg 22965 mg/kg ATEmix (dermal) 14583 mg/l ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) 31.3 mg/l ATEmix (inhalation-vapor) 5821 mg/l

12. Ecological Information

ecotoxicity

See information listed below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Diethylene Glycol Monoethyl		11400 - 15700: 96 h		3940 - 4670: 48 h Daphnia
Ether		Oncorhynchus mykiss mg/L		magna mg/L EC50
111-90-0		LC50 flow-through		
		11600 - 16700: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through		
		19100 - 23900: 96 h		

	Lepomis macrochirus mg/L LC50 flow-through	
	10000: 96 h Lepomis	
	macrochirus mg/L LC50	
	static	
2-Butoxyethanol	1490: 96 h Lepomis	1000: 48 h Daphnia magna
111-76-2	macrochirus mg/L LC50	mg/L EC50
	static	
	2950: 96 h Lepomis	
	macrochirus mg/L LC50	
ETHYLENEDIAMINETETRA	41: 96 h Lepomis	
ACETIC ACID	macrochirus mg/L LC50	
TETRASODIUM SALT	static	
64-02-8	59.8: 96 h Pimephales	
	promelas mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
N-Butane	2.89
106-97-8	
Diethylene Glycol Monoethyl Ether	-0.8
111-90-0	
2-Butoxyethanol	0.81
111-76-2	
Propane	2.3
74-98-6	

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class NA

IATA

UN/ID no UN1950

Proper Shipping Name Aerosols, non-flammable.

Hazard Class 2.2

IMDG

UN/ID no UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.2

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

All ingredients are listed or are excluded from listing on the DSL.

Legend:

DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Diethylene Glycol Monoethyl Ether - 111-90-0	111-90-0	1-5	1.0
2-Butoxvethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			X
7732-18-5			
N-Butane	X	X	X
106-97-8			
Diethylene Glycol Monoethyl Ether	X		X

111-90-0			
2-Butoxyethanol 111-76-2	X	X	X
Propane	X	X	X
74-98-6			

U.S. EPA Label information

EPA Pesticide registration number 498-88

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

16. Other information						
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable		
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards	• •		

Issue date 12-Sep-2023

Revision note

This SDS supersedes a previous SDS dated: 03-May-2018

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet