

Safety Data Sheet

Issue date 31-Jan-2024 Version 4

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHASE'S HOME VALUE HEAVY-DUTY OVEN CLEANER

Chemical name 7-8216

Other means of identification

Product code FG 419-0420-5

Synonyms None

Recommended use of the chemical and restrictions on use Recommended Use Stoves, ovens and grills.

Uses advised against DO NOT USE ON FLOORS Do not use on tile, plastic, leather, copper, painted and

varnished surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

708-865-1000

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

| Skin corrosion/irritation | Category 1 |
|-----------------------------------|---------------|
| Serious eye damage/eye irritation | Category 1 |
| Gases Under Pressure | liquefied gas |

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Causes severe skin burns and eye damage

Contains gas under pressure; may explode if heated



Appearance Yellowish, viscous liquid

Physical State Aerosol

Odor Strong, characteristic odor

Precautionary Statements - Prevention

Do not breathe fumes, mist, vapors or spray.

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

Specific treatment: See additional cautionary statements on this label.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

0% of this mixture consist of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Common Name Oven and grill cleaner.

Chemical Family MIXTURES. **Formula** 7-8216

Chemical nature Aqueous alkaline solution.

| Chemical name | CAS No | weight-% | Trade secret |
|------------------|-----------|----------|--------------|
| Water | 7732-18-5 | 90-95 | * |
| N-Butane | 106-97-8 | 1-5 | * |
| Sodium hydroxide | 1310-73-2 | 1-5 | * |
| Propane | 74-98-6 | 1-5 | * |

Chemical Additions

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

Inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: Danger - contains sodium hydroxide. Injurious if sprayed on yes. Contact with eyes

may result on eye damage. Irritant to skin. Prolonged contact with skin may cause severe burns. Inhalation of vapor or mist may cause headaches, dizziness and nausea. Vapors

may irritate the upper-respiratory tract system.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning upClean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or

mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers. Avoid contact with tile, plastic,

leather, copper, painted and varnished surfaces.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|------------------------------|--|------------------------------|
| N-Butane | STEL: 1000 ppm explosion | (vacated) TWA: 800 ppm | IDLH: 1600 ppm |
| 106-97-8 | hazard | (vacated) TWA: 1900 mg/m ³ | TWA: 800 ppm |
| | | | TWA: 1900 mg/m ³ |
| Sodium hydroxide | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Propane | : See Appendix F: Minimal | TWA: 1000 ppm | IDLH: 2100 ppm |
| 74-98-6 | Oxygen Content, explosion | TWA: 1800 mg/m ³ | TWA: 1000 ppm |
| | hazard | (vacated) TWA: 1000 ppm | TWA: 1800 mg/m ³ |
| | | (vacated) TWA: 1800 mg/m ³ | _ |

Appropriate engineering controls

Engineering controls

Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Rubber, vinyl or household type gloves required.

fumes disipate.

General hygiene considerations Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

AppearanceYellowish, viscous liquidOdorStrong, characteristic

odor

Color light yellow Odor threshold No information available

PropertyValuesRemarks • MethodpH12.88No information availableMelting point/freezing pointNot applicableNo information available

Boiling point/boiling range Water 212 °F/100 °C No information available **Flash Point** Not applicable. This is an aerosol No information available

product for which Flame Projection is 0 in. with 0 in flashback. Product was tested for Enclosed Space Ignition Test and is not a flammable aerosol as defined on 29CFR 1910.122 Appendix

B.3.

Evaporation Rate Faster than butyl acetate No information available Flammability (solid, gas) No information available

No information available

No information available

Flammability Limits in Air

Upper flammability limits Not available Lower Flammability Limit Not available

Lower Flammability Limit Not available Vapor pressure

Vapor DensityNo information availableRelative Density1.0 concentrateNo information available

Water solubility Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableDynamic viscosityNo information available

Dynamic viscosity
Explosive properties
Oxidizing properties
No information available
No information available

Other Information

Softening pointNo information availableMolecular weightNo information available

 VOC content (%)
 4.00%

 Density
 8.33 lb/gal

Bulk Density

No information available

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers. Avoid contact with tile, plastic, leather, copper, painted and varnished surfaces.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information Danger contains Sodium Hydroxide

Inhalation Vapors may irritate the upper-respiratory tract system. Inhalation of vapor or mist may

cause headaches, dizziness and nausea.

Eye Contact Injurious if sprayed on eyes. Contact with eyes may result on eye damage.

Skin contactDanger, contains sodium hydroxide. Irritant to skin. Prolonged contact with skin may cause

severe burns.

Ingestion This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|------------------|-------------------|-------------------------|----------------------------------|
| Water | > 90 mL/kg (Rat) | - | - |
| 7732-18-5 | | | |
| N-Butane | - | - | = 658 g/m ³ (Rat) 4 h |
| 106-97-8 | | | |
| Sodium hydroxide | = 325 mg/kg (Rat) | = 1350 mg/kg (Rabbit) | - |
| 1310-73-2 | | | |
| Propane | - | - | > 800000 ppm (Rat) 15 min |
| 74-98-6 | | | |

Information on toxicological effects

Symptoms Vapors may be irritating to eyes, nose, throat, and lungs.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause severe burns after prolonged contact with skin.

Serious eye damage/eye irritation

Risk of serious damage to eyes.

corrosivity sensitization Contains sodium hydroxide, can be corrosive to skin and eyes.

No information available. Germ cell mutagenicity No information available.

Carcinogenicity Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

No information available. Reproductive toxicity No information available. STOT - single exposure STOT - repeated exposure No information available.

Aspiration Hazard Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 0% of this mixture consist of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 17749 mg/kg ATEmix (dermal) 46056 mg/kg ATEmix (inhalation-gas) 8757000 mg/l ATEmix (inhalation-dust/mist) 46.1 mg/l 14403 mg/l ATEmix (inhalation-vapor)

12. Ecological Information

ecotoxicity

See information listed below.

| | Chemical name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|---|-------------------------------|----------------------|---|-------------------------------|-----------|
| Ī | Sodium hydroxide 1310-73-2 | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| N-Butane | 2.89 |

| 106-97-8 | |
|----------|-----|
| Propane | 2.3 |
| 74-98-6 | |

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

| Chemical name | California Hazardous Waste Status |
|------------------|-----------------------------------|
| Sodium hydroxide | Toxic |
| 1310-73-2 | Corrosive |

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class NA

IATA

UN/ID no UN1950

Proper Shipping Name Aerosols, non-flammable, containing substances in Class 8 packing group II

Hazard Class 2.2 (8)

IMDG

UN/ID no UN1950

Proper Shipping Name Aerosols, non-flammable, containing substances in Class 8 packing group II

Hazard Class 2.2 (8)

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

Legend:

DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories

Acute Health HazardyesChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium hydroxide 1310-73-2 | 1000 lb | | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------|--------------------------|----------------|--------------------------|
| Sodium hydroxide | 1000 lb | | RQ 1000 lb final RQ |
| 1310-73-2 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|------------------|------------|---------------|--------------|
| Water | | | X |
| 7732-18-5 | | | |
| N-Butane | X | X | X |
| 106-97-8 | | | |
| Sodium hydroxide | X | X | X |
| 1310-73-2 | | | |
| Propane | X | X | X |
| 74-98-6 | | | |

U.S. EPA Label information

EPA Pesticide registration number Not applicable

| 16. Other information | | | | |
|-----------------------|------------------|----------------|--------------------|---|
| NFPA_ | Health Hazards 3 | Flammability 1 | Instability 1 | Physical and chemical properties Not applicable |
| <u>HMIS</u> | Health Hazards 3 | Flammability 2 | Physical hazards 1 | Personal Protection B - Eyes and hands protection |

Prepared by Regulatory Department

Issue date 31-Jan-2024

Revision note

This SDS supersedes a previous SDS dated: 14-Jan-2021

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet