

Safety Data Sheet

Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier Product name Chemical name	CHASE'S HOME VALUE SPRAY DISINFECTANT COUNTRY RAIN SCENT 7-7899-1		
<u>Other means of identification</u> Product code Synonyms Registration number(s)	FG 419-0424 Disinfectant Spray 498-179		
Recommended use of the chemical	and restrictions on use		
Recommended Use	For disinfection of hard, non-porous, inanimate surfaces.		
Uses advised against	Do not spray on varnished, painted or plastic surfaces.		
Details of the supplier of the safety	data abaat		
Supplier Address	Manufacturer Address		
Supplier Address	Manufacturer Address		
Supplier Address Chase Products Co.	Manufacturer Address Chase Products Co.		
Supplier Address Chase Products Co. 2727 Gardner Road	Manufacturer Address Chase Products Co. 2727 Gardner Road		

2. Hazards Identification

Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning

hazard statements

Causes serious eye irritation

Flammable Aerosol

Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explode if heated

Image: Contains gas under pressure; may explore contains gas under presson; may explore contains gas under presson; may explore contain

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

• Toxic to aquatic life with long lasting effects 0.69% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

SynonymsDisinfectant Spray.Chemical FamilyMIXTURES.Formula7-7899-1Chemical natureAqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*

Chemical Additions

See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.			
Skin contact	Wash with soap and water. If irritation develops, consult a physician .			
Inhalation	If overcome by vapor, move person to fresh air.			
Ingestion	Ingestion from an aerosol product is unlikely to occur.			
Most important symptoms and effe	cts, both acute and delayed			
Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.			
Indication of any immediate medical attention and special treatment needed				

FG 419-0424 CHASE'S HOME VALUE SPRAY DISINFECTANT COUNTRY RAIN SCENT

Note to physicians

None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures					
Personal precautions	CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.				
Other Information	Keep out of reach of children.				
Environmental precautions					
Environmental precautions	See Section 12 for additional E	cological Information.			
Methods and material for containm	ent and cleaning up				
Methods for Containment	Provide adequate ventilation to absorbent material.	area being treated. Soak up s	spills with chemically inert,		
Methods for cleaning up	Clean contaminated surface th	oroughly.			
	7. Handling and	Storage			
Precautions for safe handling					
Advice on safe handling	Avoid getting spray into eyes.	Keep out of reach of children.			
Conditions for safe storage, including any incompatibilities					
Storage Conditions	Store in a cool, dry place away temperatures. AEROSOL ST				
Incompatible Materials	Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.				
8. Exposure Controls/Personal Protection					
Control parameters					
Exposure guidelines	See occupational exposure lim	its listed below.			
Chemical name	ACGIH TLV OSHA PEL NIOSH IDLH				

FG 419-0424 CHASE'S HOME VALUE SPRAY DISINFECTANT COUNTRY RAIN SCENT

Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
			TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	

Appropriate engineering controls

Engineering controls	Use with adequate general or local exhaust ventilation.		
Individual protection measures, suc	ch as personal protective equipment		
Eye/face Protection	Conventional eyeglasses to guard against splashing.		
Skin and Body Protection	Household type gloves, if desired.		
Respiratory protection	None required if used in a well-ventilated area .		
General hygiene considerations	None required.		

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Hazy, yellow liquid clear	Odor Odor threshold	Perfumed. No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	<u>Values</u> 10.5 +/- 0.5 NA 212 °F/100 °C Not avaliable. This is an aerosol product for which Flame Projection is 6-8 inches without flashback.	Remarks • Method No information available No information available No information available No information available	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air	Temperatures above 120 °F may cause cans to burst. Faster than butyl acetate	No information available No information available No information available	
Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents	Not available Not available Not available 0.92 concentrate completely soluble	No information available No information available No information available No information available No information available	
Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available	No information available No information available No information available No information available No information available	

Other Information

Softening point Molecular weight VOC content (%) Density Bulk Density

No information available No information available 51.32% No information available 8.33 Lb/gal

10. Stability and Reactivity

Reactivity Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information	Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.
Inhalation	See data below.
Eye Contact	Not data available.
Skin contact	Not data available.
Ingestion	This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 g/m³ (Rat)4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat)15 min

Information on toxicological effects

Symptoms

See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

FG 419-0424 CHASE'S HOME VALUE SPRAY DISINFECTANT COUNTRY RAIN SCENT

sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. Not known chronic effects based on available information.			
Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х
Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration Hazard	No informati No informati No informati No informati	on available. on available.		
Numerical measures of toxici	ity - Product Inform	nation		
Unknown acuto toxicity	0.60% of the mixture consists of ingredient(c) of unknown toxicity			

Unknown acute toxicity0.69% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculatedbased on chapter 3.1 of the GHS documentATEmix (inhalation-gas)1000000ATEmix (inhalation-vapor)16447.4 mg/l

12. Ecological Information

ecotoxicity

See information listed below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Ethyl alcohol		12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50
		LC50 static	_	2: 48 h Daphnia magna
		13400 - 15100: 96 h		mg/L EC50 Static
		Pimephales promelas mg/L		_
		LC50 flow-through		
		100: 96 h Pimephales		
		promelas mg/L LC50 static		

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	
N-Butane	2.89
106-97-8	
Propane	2.3
74-98-6	

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods	
Disposal of wastes	Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use.

Chemical name		California Hazardous Waste Status		
Ethyl alcohol 64-17-5		Toxic Ignitable		
14. Transport Information				
DOT UN/ID no Proper Shipping Name Hazard Class	Limited Quantity Consumer Commodity NA			
IATA UN/ID no Proper Shipping Name Hazard Class	UN1950 Aerosols, flammable 2.1			
IMDG UN/ID no Proper Shipping Name Hazard Class Marine pollutant	UN1950 Aerosols, flammable 2.1 This product does not contain	chemicals listed as marine pollutants according to DOT.		

15. Regulatory information

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
Ethyl alcohol 64-17-5	X	X	Х
N-Butane 106-97-8	X	X	Х
Propane 74-98-6	X	X	Х

U.S. EPA Label information EPA Pesticide registration number 498-179 EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

16. Other information					
NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable	
HMIS	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection A - Eyes protection	

07-Feb-2022

Issue date Revision note

This SDS supersedes a previous SDS dated October 15, 2018.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet