

Safety Data Sheet

Issue date 07-Apr-2022 Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name PROSALL CITRA CLEAN ALL-SURFACE CLEANER, DUSTER & POLISH

Chemical name 7-8190-1

Other means of identification

Product code FG 433-1127-3

Synonyms General purpose cleaner

Recommended use of the chemical and restrictions on use
Recommended Use Various types of surfaces.
Uses advised against DO NOT USE ON FLOORS

Details of the supplier of the safety data sheet

Supplier Address
ProsALL Products a Division of Chase
Products Co.
P.O. Box 7502
Westchester, IL 60154

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Skin sensitization	Category 1
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning

hazard statements

May cause an allergic skin reaction

Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance White, creamy emulsion.

Physical State Aerosol

Odor Citrus odor

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray.

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

Specific treatment: See additional cautionary statements on this label.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- · Toxic to aquatic life with long lasting effects
- 1.202% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Common Name

Synonyms

All-purpose cleaner.

General purpose cleaner.

Chemical Family MIXTURES. **Formula** 7-8190-1

Chemical nature Emulsion of white mineral oil and water.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	70-75	*
White Mineral Oil USP	8042-47-5	15-20	*
D-Limonene	5989-27-5	1-5	*
Propane	74-98-6	1-5	*
N-Butane	106-97-8	1-5	*

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Inhalation If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get

medical attention if injury develops.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Ingestion Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation. Chronic: D-limonene may cause allergic skin reactions.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautionsSee Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
			TWA: 1900 mg/m ³

Appropriate engineering controls

Use with adequate general or local exhaust ventilation. **Engineering controls**

Individual protection measures, such as personal protective equipment

Conventional eyeglasses to guard against splashing. **Eye/face Protection**

Skin and Body Protection Household type gloves, recommended.

Respiratory protection None required if used in a well-ventilated area.

General hygiene considerations Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

Appearance White, creamy emulsion. Odor Citrus odor

Color White No information available **Odor threshold**

Remarks • Method **Property** Values No information available 8.20 Melting point/freezing point Not applicable No information available Boiling point/boiling range Water 212 °F/100 °C No information available

Flash Point This product is very similar in No information available composition to another product which was tested for Enclosed Space Ignition

Test. Since that products is a Category 2 flammable aerosol, this product is also considered Category 2 flammable

aerosol.

Evaporation Rate Faster than butyl acetate No information available Flammability (solid, gas)

No information available No information available

No information available

Upper flammability limits Not available

Flammability Limits in Air

Lower Flammability Limit Not available Vapor pressure

Vapor Density No information available No information available **Relative Density** 0.955 concentrate

Water solubility insoluble

Solubility in other solvents No information available

Partition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

Explosive propertiesNo information available **Oxidizing properties**No information available

Other Information

Softening pointNo information availableMolecular weightNo information available

VOC content (%) 7.98% **Density** 7.96b/gal

Bulk Density No information available

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product InformationThis product has not been tested as whole. See below for information on ingredients.

Inhalation See data below.

Eye Contact Not data available.

Skin contact See data below.

Ingestion See data below.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
White Mineral Oil USP 8042-47-5	> 5000 mg/kg (Rat)	-	-
D-Limonene 5989-27-5	= 4400 mg/kg (Rat) = 5200 mg/kg (Rat)	> 5 g/kg(Rabbit)	-
Propane 74-98-6	-	-	> 800000 ppm (Rat) 15 min
N-Butane	-	-	= 658 g/m ³ (Rat) 4 h

106-97-8		

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationMay cause skin irritation and reddening after prolonged or repeated contact with skin.

D-limonene may cause allergic skin reactions. Frequent or wide spread contact may result

on skin absorption of potentially harmful amounts. Can cause irritation after contact with the eyes.

Serious eye damage/eye irritation

corrosivity sensitization

Not applicable.

May cause sensitization of susceptible persons.

Germ cell mutagenicity

Carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Exposure to d-limonene has been found to cause kidney damage in male rats. The mechanism by which this toxicity occurs is specific to the male rat and the kidney efffects

are not expected to occur in humans.

Chemical name	ACGIH	IARC	NTP	OSHA
D-Limonene		Group 2A		X
5989-27-5		Group 3		

Reproductive toxicity D-limonene has been shown to cause harm to the fetus in laboratory animal studies. Harm

to the fetus occurs only at exposure levels that harm the pregnant animal. The relevance of

these findings to humans is uncertain.

STOT - single exposure STOT - repeated exposure

No information available. No information available.

STOT - repeated exposure Aspiration Hazard

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 1.202% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 22933 mg/kg
ATEmix (inhalation-gas) 8138226 mg/l
ATEmix (inhalation-vapor) 16450 mg/l

12. Ecological Information

ecotoxicity

See information listed below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
White Mineral Oil USP 8042-47-5		10000: 96 h Lepomis macrochirus mg/L LC50	•	
D-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
White Mineral Oil USP	>6
8042-47-5	
Propane	2.3
74-98-6	
N-Butane	2.89
106-97-8	

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
D-Limonene	Toxic
5989-27-5	

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class NA

<u>IATA</u>

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

IMDG

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals (above the de-minimis level) which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			X
7732-18-5			
Propane	X	X	X
74-98-6			
N-Butane	X	X	X
106-97-8			

U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information				
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department

Issue date 07-Apr-2022

Revision note

This SDS supersedes a previous SDS dated: 20-Aug-2020

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
