

Safety Data Sheet

Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier Product name	SPRAYPAK FLYING & CRAWLING INSECT KILLER
Chemical name	7-7956-4
Other means of identification	
Product code	FG 433-4106-9
Synonyms	Multi-purpose insecticide
Registration number(s)	498-174
Recommended use of the chemical	and restrictions on use
Recommended Use	Flying and crawling insect killer.
Uses advised against	See directions for use on product's label.
Details of the supplier of the safety	
Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
2727 Gardner Road	2727 Gardner Road
Broadview, IL 60155	Broadview, IL 60155
708-865-1000	708-865-1000
Emergency Telephone Number	700 005 1000
Company Phone Number	708-865-1000
24 Hour Emergency Phone Number	1-800-255-3924

ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Emergency telephone

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1B
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements HARMFUL IF INHALED May cause an allergic skin reaction May cause cancer Flammable Aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves, protective clothing, eye protection and face protection. Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment: See additional cautionary statements on this label. IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store locked up Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- · Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

0% of this mixture consist of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Common Name
Synonyms
Chemical Family
Formula
Chemical nature

Insecticide spray. Multi-purpose insecticide. Pesticide. 7-7956-4 Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	70-75	*
n-butane	106-97-8	10-15	*
Petroleum distillates, hydrotreated light	64742-47-8	5-10	*
Propane	74-98-6	1-5	*

FG 433-4106-9 SPRAYPAK FLYING & CRAWLING INSECT KILLER

Piperonyl Butoxide	51-03-6	1.00	*
Permethrin	52645-53-1	0.4	*
Pyrethrins	8003-34-7	0.2	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures		
FIRST AID MEASURES		
Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.	
Inhalation	If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.	
Ingestion	Ingestion from an aerosol product is unlikely to occur.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if inhaled.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Contains petroleum distillates, do not induce vomiting because of aspiration neumonia hazard.	
5. Fire-fighting measures		

Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame. Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use with adequate general or local exhaust ventilation.

For emergency responders	Remove all sources of ignition.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containme	ent and cleaning up		
Methods for Containment	Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).		
Methods for cleaning up	Clean contaminated surface thoroughly.		
Prevention of secondary hazards	Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated absorbent and wash water should be disposed of according to local, state and federal regulations.		
	7. Handling and Storage		
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B).		
Incompatible Materials	Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.		
8. Exposure Controls/Personal Protection			

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
		· · · ·	TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-
Pyrethrins	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 5000 mg/m ³
8003-34-7	-	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Rubber, vinyl or household type gloves required.
Respiratory protection	None required. After spraying, leave the room and keep area closed for 15 minutes. Thoroughly ventilate room before reentry. Sweep up and discard fallen insects.

General hygiene considerations

Wash hands thoroughly after handling. Read and follow the USER SAFETY RECOMMENDATIONS on the product label.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State	Aerosol		
Appearance	Off-white emulsion	Odor	Cedarwood
Color	White	Odor threshold	No information available
Durantes	Malara a	Demonster Mathead	
Property	Values	Remarks • Method Water-oil emulsion.	
pH Molting point/freezing point	Not applicable	No information available	
Melting point/freezing point	Not applicable Water 212 °F/100 °C		
Boiling point/boiling range Flash Point		No information available	
Flash Point	Not Available. This is an aerosol	No information available	
	product for which Flame Projection is	0	
	inches. Temperatures above 120 °F		
	may cause cans to burst.		
Evaporation Rate	Faster than butyl acetate.	No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limits			
Lower Flammability Limit			
Vapor pressure		No information available	
Vapor Density		No information available	
Relative Density	0.945 - 0.952 concentrate	No information available	
Water solubility		Soluble in water	
Solubility in other solvents		No information available	
Partition coefficient		No information available	
Autoignition Temperature		No information available	
Decomposition temperature		No information available	
Kinematic viscosity		No information available	
Dynamic viscosity		No information available	
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight	No information available		
VOC content (%)	14.53%		
Density	7.87 - 7.93 lb/gal		
Bulk Density	No information available		
Dur Density			

10. Stability and Reactivity

Reactivity Not applicable

Not applicable

Chemical stability Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

11. Toxicological Information

Information on likely routes of exposure

Product Information	Results below are for a very similar product with same concentration of active ingredients.
Inhalation	Acute Inhalation III.
Eye Contact	Primary Eye IV.
Skin contact	Acute Dermal IV.
Ingestion	Acute Oral IV.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
n-butane 106-97-8	-	-	= 658 g/m³ (Rat)4 h
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat)15 min
Piperonyl Butoxide 51-03-6	= 4570 mg/kg(Rat)	= 1880 mg/kg (Rabbit)	> 5.9 mg/L (Rat)4 h
Permethrin 52645-53-1	= 220 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 0.69 mg/L (Rat)4 h
Pyrethrins 8003-34-7	= 200 mg/kg (Rat)	= 2060 mg/kg (Rabbit)	= 3.4 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

	nged and repeated contact with skin may cause allergic reactions in some individuals. cause irritation after contact with the eyes.
corrosivity Not a	pplicable.
sensitization No a	skin sensitizer.
Germ cell mutagenicity No ir	formation available.
Carcinogenicity The t	able below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl Butoxide 51-03-6		Group 3		
Permethrin 52645-53-1		Group 2A Group 3		Х
Pyrethrins 8003-34-7		Group 2A		Х

Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration Hazard No information available. No information available. No information available. Not applicable.

Numerical measures of toxicity - Product Information

Unknown acute toxicity0% of this mixture consist of ingredient(s) of unknown toxicity.The following values are calculatedbased on chapter 3.1 of the GHS documentATEmix (inhalation-gas)229333 mg/lATEmix (inhalation-vapor)658 mg/l

12. Ecological Information

ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

6.1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates,		2.2: 96 h Lepomis		
hydrotreated light		macrochirus mg/L LC50		
64742-47-8		static		
		2.4: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		
		45: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through		
Piperonyl Butoxide		7.07: 96 h Oncorhynchus		
51-03-6		mykiss mg/L LC50		
51-05-0				
De une ette vie				
Permethrin		0.00049 - 0.00097: 96 h		
52645-53-1		Oncorhynchus mykiss mg/L		
		LC50 flow-through		
		0.001 - 0.009: 96 h		
		Pimephales promelas mg/L		
		LC50 static		
		0.0017 - 0.0048: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		
		0.00188 - 0.00336: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static		
		0.0052 - 0.0077: 96 h		
		Cyprinus carpio mg/L LC50		
		0.008 - 0.03: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through		
		0.00079: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through		
		0.0108: 96 h Lepomis		
		macrochirus mg/L LC50		
		0.015: 96 h Cyprinus carpio		
		mg/L LC50 flow-through		
Dura thair a				
Pyrethrins		0.003 - 0.0046: 96 h		
8003-34-7		Lepomis macrochirus mg/L		
		LC50 flow-through		
		0.0031 - 0.0038: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 flow-through		
		0.02 - 0.03: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		
		0.0322 - 0.0472: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static		
		0.0425 - 0.121: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through		

0.224 - 0.458: 96 h	
Pimephales promelas mg/L	
LC50 static	
0.054: 96 h Oncorhynchus	
mykiss mg/L LC50	
0.074: 96 h Lepomis	
macrochirus mg/L LC50	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
n-butane 106-97-8	2.89
Propane 74-98-6	2.3
Permethrin 52645-53-1	6.5

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.Contaminated packagingPressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate
container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your
local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Piperonyl Butoxide 51-03-6	Тохіс
Permethrin 52645-53-1	Тохіс
Pyrethrins 8003-34-7	Тохіс

14. Transport Information

DOT

UN/ID no	
Proper Shipping Name	
Hazard Class	

Limited Quantity Consumer Commodity NA

<u>IATA</u>

UN/ID no
Proper Shipping Name
Hazard Class

IMDG

UN/ID no Proper Shipping Name UN1950 Aerosols, flammable 2.1

UN1950 Aerosols, flammable

Hazard Class	2.1
Marine pollutant	Not applicable

15. Regulatory information

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Piperonyl Butoxide - 51-03-6	51-03-6	1.00	1.0
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Pyrethrins	1 lb		RQ 1 lb final RQ
8003-34-7			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name New Jersey		Massachusetts	Pennsylvania

FG 433-4106-9 SPRAYPAK FLYING & CRAWLING INSECT KILLER

Water 7732-18-5			Х
n-butane 106-97-8	Х	X	X
Propane 74-98-6	Х	X	X
Piperonyl Butoxide 51-03-6	Х		
Permethrin 52645-53-1	Х	X	
Pyrethrins 8003-34-7	Х	X	X

U.S. EPA Label information

EPA Pesticide registration number 498-174

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: HAZARDS TO HUMANS: Harmful if inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. HAZARDS TO DOMESTIC ANIMALS: For use on dogs and puppies (over 12 weeks old). Do not use on puppies less than 12 weeks old. Read entire label before each use. DO NOT USE ON CATS.

16. Other information						
NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable		
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection		
Prepared by Issue date	Regulatory Department 14-Jul-2022					

Revision note

This SDS supersedes a previous SDS dated: 27-Sep-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet