



Issue date 23-Jul-2018

# Safety Data Sheet

Version 2

## 1. Identification of the Substance/Preparation and of the Company/Undertaking

### Product Identifier

**Product name** CHAMPION SPRAYON INDOOR INSECT FOGGER FORMULA 3  
**Chemical name** 7-7665

### Other means of identification

**Product code** FG 438-5105-2 GHS  
**Synonyms** Total release fogger insecticide  
**Registration number(s)** 498-146

### Recommended use of the chemical and restrictions on use

**Recommended Use** Flying and crawling insect killer.  
**Uses advised against** See directions for use on product's label.

### Details of the supplier of the safety data sheet

<b>Supplier Address</b>	<b>Manufacturer Address</b>
Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121	Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121

### Emergency Telephone Number

**Company Phone Number** 708-865-1000  
**24 Hour Emergency Phone Number** 1-800-255-3924  
**Emergency telephone** ChemTel 1-800-255-3924

## 2. Hazards Identification

### Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

### Label Elements

#### EMERGENCY OVERVIEW

**DANGER**

#### hazard statements

HARMFUL IF INHALED  
May cause an allergic skin reaction  
EXTREMELY FLAMMABLE AEROSOL  
Contains gas under pressure; may explode if heated



## FG 438-5105-2 GHS CHAMPION SPRAYON INDOOR INSECT FOGGER FORMULA 3

<b>Appearance</b> White emulsion.	<b>Physical State</b> Aerosol	<b>Odor</b> Characteristic odor of insecticide and petroleum distillate.
-----------------------------------	-------------------------------	--

### Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray.  
Use only outdoors or in a well-ventilated area  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves  
Keep away from heat, sparks, open flames and hot surfaces. — No smoking  
Pressurized container: Do not pierce or burn, even after use  
Do not spray on an open flame or other ignition source

### Precautionary Statements - Response

Specific treatment: See additional cautionary statements on this label.  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor if you feel unwell

### Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place  
Do not expose to temperatures exceeding 122 °F (50 °C)

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

#### Other Information

- Very toxic to aquatic life with long lasting effects
  - Very toxic to aquatic life
- 0% of this mixture consist of ingredient(s) of unknown toxicity.

## 3. Composition/information on Ingredients

<b>Common Name</b>	Insecticide spray.
<b>Synonyms</b>	Total release fogger insecticide.
<b>Chemical Family</b>	Pesticide.
<b>Formula</b>	7-7665
<b>Chemical nature</b>	Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	50-55	*
n-butane	106-97-8	25-30	*
Propane	74-98-6	5-10	*
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	5-10	*
Petroleum distillates, hydrotreated light	64742-47-8	1-5	*
Permethrin	52645-53-1	0.4	*
Pyrethrins	8000-34-7	0.05	*

Chemical Additions See label for active ingredients information.

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First aid measures

### FIRST AID MEASURES

**Eye Contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.

**Inhalation** If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

**Ingestion** Ingestion from an aerosol product is unlikely to occur.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if inhaled.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Contains petroleum distillates, do not induce vomiting because of aspiration pneumonia hazard.

**5. Fire-fighting measures**

**Suitable extinguishing media**

CO2 (Carbon Dioxide), dry chemical, or water fog.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

**Hazardous combustion products** Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** Contents under pressure, keep away from heat and open flame.

**Sensitivity to Static Discharge** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use with adequate general or local exhaust ventilation.

**For emergency responders** Remove all sources of ignition.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Clean contaminated surface thoroughly.

**Prevention of secondary hazards** Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated absorbent and wash water should be disposed of according to local, state and federal regulations.

## 7. Handling and Storage

### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). **AEROSOL STORAGE LEVEL I (NFPA-30B)**.

**Incompatible Materials** Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

## 8. Exposure Controls/Personal Protection

### Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering controls** Use with adequate general or local exhaust ventilation.

### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Rubber, vinyl or household type gloves required.

**Respiratory protection** None required. DO NOT remain in the area during treatment. Do not reenter area for 4 hours. Ventilate thoroughly before reentry.

**General hygiene considerations** Wash hands thoroughly after handling.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Physical State</b>	Aerosol	<b>Odor</b>	Characteristic odor of insecticide and petroleum distillate.
<b>Appearance</b>	White emulsion.	<b>Odor threshold</b>	
<b>Color</b>	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not applicable	Water-oil emulsion.
Melting point/freezing point	Not applicable	No information available
Boiling point/boiling range	Water 212 °F/100 °C	No information available
Flash Point	Not Available. This is an aerosol product for which Flame Projection is 0 inches. Temperatures above 120 °F may cause cans to burst.	No information available
Evaporation Rate	Faster than butyl acetate.	No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limits		
Lower Flammability Limit		
Vapor pressure		No information available
Vapor Density		No information available
Relative Density	0.975 concentrate	No information available
Water solubility		Soluble in water
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition Temperature		No information available
Decomposition temperature		No information available
Kinematic viscosity		No information available
Dynamic viscosity		No information available
Explosive properties	No information available	
Oxidizing properties	No information available	
 <b><u>Other Information</u></b>		
Softening point	No information available	
Molecular weight	No information available	
VOC content (%)	44.31%	
Density	8.12 lb/gal	
Bulk Density	No information available	

### 10. Stability and Reactivity

**Reactivity**  
 Not applicable                                 Not applicable

**Chemical stability**  
 Stable.

**Possibility of hazardous reactions**  
 Temperatures above 130 °F may cause cans to burst with force.

**hazardous polymerization**             Hazardous polymerization does not occur.

**Conditions to Avoid**  
 Temperatures above 122 °F (50 °C).

**Incompatible Materials**  
 Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

**Hazardous decomposition products**  
 Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions.

### 11. Toxicological Information

**Information on likely routes of exposure**

**FG 438-5105-2 GHS CHAMPION SPRAYON INDOOR INSECT FOGGER FORMULA 3**

<b>Product Information</b>	Results below are for a very similar product with same concentration of active ingredients.
<b>Inhalation</b>	Acute Inhalation IV (LC50 >5.98 mg/L).
<b>Eye Contact</b>	Primary Eye III.
<b>Skin contact</b>	Acute Dermal III (LD50 >2,000 mg/kg).
<b>Ingestion</b>	Acute Oral IV (LD50 >5,000 mg/kg).

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
n-butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
Solvent naphtha (petroleum), heavy aliphatic 64742-96-7	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.28 mg/L ( Rat ) 4 h
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
Permethrin 52645-53-1	= 220 mg/kg ( Rat ) = 383 mg/kg ( Rat )	> 2 g/kg ( Rabbit ) > 5000 mg/kg ( Rat ) = 1750 mg/kg ( Rat )	> 0.69 mg/L ( Rat ) 4 h

**Information on toxicological effects**

**Symptoms** Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Prolonged and repeated contact with skin may cause allergic reactions in some individuals.  
**Serious eye damage/eye irritation** Can cause irritation after contact with the eyes.  
**corrosivity** Not applicable.  
**sensitization** May cause sensitization by skin contact.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Permethrin 52645-53-1		Group 2A Group 3		X

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration Hazard** Not applicable.

**Numerical measures of toxicity - Product Information**

**Unknown acute toxicity** 0% of this mixture consist of ingredient(s) of unknown toxicity.  
**The following values are calculated based on chapter 3.1 of the GHS document .**  
**ATEmix (inhalation-gas)** 2293333 mg/l  
**ATEmix (inhalation-vapor)** 658 mg/l

**12. Ecological Information**

**ecotoxicity**

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.  
 6.468% of the mixture consists of component(s) of unknown hazards to the aquatic environment

**FG 438-5105-2 GHS CHAMPION SPRAYON INDOOR INSECT FOGGER FORMULA 3**

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		2.2: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50
Permethrin 52645-53-1		0.0052 - 0.0077: 96 h Cyprinus carpio mg/L LC50 0.00188 - 0.00336: 96 h Lepomis macrochirus mg/L LC50 static 0.00049 - 0.00097: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.008 - 0.03: 96 h Pimephales promelas mg/L LC50 flow-through 0.015: 96 h Cyprinus carpio mg/L LC50 flow-through 0.0017 - 0.0048: 96 h Oncorhynchus mykiss mg/L LC50 static 0.00079: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.0108: 96 h Lepomis macrochirus mg/L LC50 0.001 - 0.009: 96 h Pimephales promelas mg/L LC50 static		

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical name	Partition coefficient
n-butane 106-97-8	2.89
Propane 74-98-6	2.3
Permethrin 52645-53-1	6.5

**Other adverse effects**

No information available

**13. Disposal Considerations**

**Waste treatment methods**

**Disposal of wastes**

Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging**

Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Permethrin 52645-53-1	Toxic

**14. Transport Information**

**DOT**

UN/ID no Limited Quantity  
 Proper Shipping Name Consumer Commodity  
 Hazard Class ORM-D

**IATA**

UN/ID no UN1950  
 Proper Shipping Name Aerosols, flammable  
 Hazard Class 2.1

**IMDG**

UN/ID no UN1950  
 Proper Shipping Name Aerosols, flammable  
 Hazard Class 2.1  
 Marine pollutant This product contains an environmentally hazardous substance.

**15. Regulatory information**

**International Inventories**

**TSCA** All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
**DSL** All ingredients are listed or are excluded from listing on the DSL.

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

**US Federal Regulations**

**SARA 313**

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard yes  
 Chronic Health Hazard No  
 Fire Hazard yes  
 Sudden release of pressure hazard No  
 Reactive Hazard No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**



**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			X
n-butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X
Permethrin 52645-53-1	X	X	

**U.S. EPA Label information**

**EPA Pesticide registration number** 498-146

**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Breathing spray mist may be harmful. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**16. Other information**

<b>NFPA</b>	<b>Health Hazards</b> 1	<b>Flammability</b> 1	<b>Instability</b> 1	<b>Physical and chemical properties</b> Not applicable <b>Personal Protection</b> B - Eyes and hands protection
<b>HMIS</b>	<b>Health Hazards</b> 1	<b>Flammability</b> 2	<b>Physical hazards</b> 1	

**Prepared by** Regulatory Department

**Issue date** 23-Jul-2018

**Revision note**

This SDS supersedes a previous SDS dated January 22, 2015.

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**