

Safety Data Sheet

Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier CHAMPION SPRAYON INDOOR INSECT FOGGER FORMULA Chemical name 7-7665	. 3
Other means of identificationProduct codeFG 438-5105-2 GHSSynonymsTotal release fogger insecticideRegistration number(s)498-146	
Recommended use of the chemical and restrictions on use	
Recommended Use Flying and crawling insect killer.	
Uses advised against See directions for use on product's label.	
Details of the supplier of the safety data sheet	
Supplier Address Manufacturer Address	
Chase Products Co. Chase Products Co.	
2727 Gardner Road 2727 Gardner Road	
Broadview, IL 60155 Broadview, IL 60155	
708-865-1000 708-865-1000	
Emergency Telephone Number 708-865-1000	

ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Emergency telephone

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements HARMFUL IF INHALED May cause an allergic skin reaction EXTREMELY FLAMMABLE AEROSOL Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

Specific treatment: See additional cautionary statements on this label. IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

· Very toxic to aquatic life with long lasting effects

Very toxic to aquatic life

0% of this mixture consist of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Common Name	Insecticide spray.
Synonyms	Total release fogger insecticide.
Chemical Family	Pesticide.
Formula	7-7665
Chemical nature	Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	50-55	*
n-butane	106-97-8	25-30	*
Propane	74-98-6	5-10	*
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	5-10	*
Petroleum distillates, hydrotreated light	64742-47-8	1-5	*
Permethrin	52645-53-1	0.4	*
Pyrethrins	8003-34-7	0.05	*

Chemical Additions

See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

	4. First aid measures
FIRST AID MEASURES	
Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.
Inhalation	If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.
Ingestion	Ingestion from an aerosol product is unlikely to occur.
Most important symptoms and	effects, both acute and delayed
Symptoms	Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if inhaled.
Indication of any immediate me	dical attention and special treatment needed
Note to physicians	Contains petroleum distillates, do not induce vomiting because of aspiration neumonia hazard.
	5. Fire-fighting measures
CO2 (Carbon Dioxide), dry chemi	
CO2 (Carbon Dioxide), dry chemi Unsuitable extinguishing m Specific hazards arising from th This product is under pressure. W	cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the This product is under pressure. Wexplosion of the cans.	cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient. ne chemical
CO2 (Carbon Dioxide), dry chemi Unsuitable extinguishing m Specific hazards arising from th This product is under pressure. W explosion of the cans. Hazardous combustion prod Explosion data	cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient. <u>ne chemical</u> /ater spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the ductsThermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbor dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions.
CO2 (Carbon Dioxide), dry chemi Unsuitable extinguishing m Specific hazards arising from th This product is under pressure. W explosion of the cans. Hazardous combustion prod Explosion data Sensitivity to Mechanical Im Sensitivity to Static Dischar Protective equipment and preca	 cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient. <u>ne chemical</u> 'ater spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the ducts Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbod dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions. upact Contents under pressure, keep away from heat and open flame. ge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
CO2 (Carbon Dioxide), dry chemi Unsuitable extinguishing m Specific hazards arising from th This product is under pressure. W explosion of the cans. Hazardous combustion prod Explosion data Sensitivity to Mechanical Im Sensitivity to Static Dischar Protective equipment and preca As in any fire, wear self-contained	 cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient. <u>ne chemical</u> l'ater spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the ductsThermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbod dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions. pact Contents under pressure, keep away from heat and open flame. ge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
CO2 (Carbon Dioxide), dry chemi Unsuitable extinguishing m Specific hazards arising from th This product is under pressure. W explosion of the cans. Hazardous combustion prod Explosion data Sensitivity to Mechanical Im Sensitivity to Static Dischar Protective equipment and preca As in any fire, wear self-contained protective gear.	 cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient. me chemical /ater spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the ducts Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbod dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions. pact Contents under pressure, keep away from heat and open flame. ge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). autions for firefighters I breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
CO2 (Carbon Dioxide), dry chemi Unsuitable extinguishing m Specific hazards arising from th This product is under pressure. W explosion of the cans. Hazardous combustion prod Explosion data Sensitivity to Mechanical Im Sensitivity to Static Dischar Protective equipment and preca As in any fire, wear self-contained protective gear.	 cal, or water fog. edia Caution: Use of water spray when fighting fire may be inefficient. he chemical l'ater spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the ducts Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbod dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions. hermat Contents under pressure, keep away from heat and open flame. ge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). autions for firefighters l breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. Accidental release measures

Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for Containment	Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).		
Methods for cleaning up	Clean contaminated surface thoroughly.		
Prevention of secondary hazards	Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated absorbent and wash water should be disposed of according to local, state and federal regulations.		
	7. Handling and Storage		
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B).		
Incompatible Materials	Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.		

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 1600 ppm TWA: 800 ppm
100-97-8	liazaiu	(Vacaled) TWA. 1900 mg/m	TWA: 000 ppm TWA: 1900 mg/m ³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³
Pyrethrins 8003-34-7	TWA: 5 mg/m³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 5000 mg/m ³ TWA: 5 mg/m ³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Rubber, vinyl or household type gloves required.
Respiratory protection	None required. DO NOT remain in the area during treatment. Do not reenter area for 4 hours. Ventilate thoroughly before reentry.
General hygiene considerations	Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties **Physical State** Aerosol White emulsion. Odor Characteristic odor of Appearance insecticide and petroleum distillate. White Odor threshold No information available Color Values Remarks • Method Property Not applicable Water-oil emulsion. Hα Not applicable No information available Melting point/freezing point Boiling point/boiling range Water 212 °F/100 °C No information available Flash Point Not Available. This is an aerosol No information available product for which Flame Projection is 0 inches. Temperatures above 120 °F may cause cans to burst. **Evaporation Rate** Faster than butyl acetate. No information available Flammability (solid, gas) No information available Flammability Limits in Air No information available Upper flammability limits Lower Flammability Limit Vapor pressure No information available Vapor Density No information available **Relative Density** 0.975 concentrate No information available Water solubility Soluble in water Solubility in other solvents No information available No information available **Partition coefficient Autoignition Temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available **Other Information** No information available Softening point Molecular weight No information available 44.31% VOC content (%) 8.12 lb/gal Density **Bulk Density** No information available **10. Stability and Reactivity**

Reactivity Not applicable

Not applicable

Chemical stability Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions.

11. Toxicological Information

Information on likely routes of exposure

Product Information	Results below are for a very similar product with same concentration of active ingredients.
Inhalation	Acute Inhalation IV (LC50 >5.98 mg/L).
Eye Contact	Primary Eye III.
Skin contact	Acute Dermal III (LD50 >2,000 mg/kg).
Ingestion	Acute Oral IV (LD50 >5,000 mg/kg).

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
n-butane 106-97-8	-	-	= 658 g/m³ (Rat)4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat)15 min
Solvent naphtha (petroleum), heavy aliphatic 64742-96-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.28 mg/L (Rat)4 h
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Permethrin 52645-53-1	= 220 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 0.69 mg/L (Rat)4 h
Pyrethrins 8003-34-7	= 200 mg/kg (Rat)	= 2060 mg/kg (Rabbit)	= 3.4 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Prolonged and repeated contact with skin may cause allergic reactions in some individuals.
Serious eye damage/eye irritation	Can cause irritation after contact with the eyes.
corrosivity	Not applicable.
sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Permethrin		Group 2A		Х
52645-53-1		Group 3		
Pyrethrins		Group 2A		Х
8003-34-7				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard

No information available. No information available. No information available. Not applicable.

Numerical measures of toxicity - Product Information

Unknown acute toxicity0% of this mixture consist of ingredient(s) of unknown toxicity.The following values are calculatedbased on chapter 3.1 of the GHS documentATEmix (inhalation-gas)2293333 mg/lATEmix (inhalation-vapor)658 mg/l

12. Ecological Information

ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

6.1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates,		2.2: 96 h Lepomis	g	
hydrotreated light		macrochirus mg/L LC50		
64742-47-8		static		
		2.4: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		
		45: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through		
Permethrin		0.00049 - 0.00097: 96 h		
52645-53-1		Oncorhynchus mykiss mg/L		
52045-55-1				
		LC50 flow-through		
		0.001 - 0.009: 96 h		
		Pimephales promelas mg/L		
		LC50 static		
		0.0017 - 0.0048: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		
		0.00188 - 0.00336: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static		
		0.0052 - 0.0077: 96 h		
		Cyprinus carpio mg/L LC50		
		0.008 - 0.03: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through		
		0.00079: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through		
		0.0108: 96 h Lepomis		
		macrochirus mg/L LC50		
		0.015: 96 h Cyprinus carpio		
		mg/L LC50 flow-through		
Pyrethrins		0.003 - 0.0046: 96 h		
8003-34-7		Lepomis macrochirus mg/L		
8003-34-7				
		LC50 flow-through 0.0031 - 0.0038: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 flow-through		
		0.02 - 0.03: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		
		0.0322 - 0.0472: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static		
		0.0425 - 0.121: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through		
		0.224 - 0.458: 96 h		
		Pimephales promelas mg/L		
		LC50 static		
		0.054: 96 h Oncorhynchus		
		mykiss mg/L LC50		

0.074: 96 h Lepomis	
macrochirus mg/L LC50	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
n-butane	2.89
106-97-8	
Propane	2.3
74-98-6	
Permethrin	6.5
52645-53-1	

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Permethrin	Тохіс
52645-53-1 Pyrethrins	Τοχίς
8003-34-7	

14. Transport Information

DOT

ited Quantity
sumer Commodity

ΙΑΤΑ

UN/ID no Proper Shipping Name Hazard Class

Proper Shipping Name

IMDG

UN/ID no

Hazard Class

Marine pollutant

ame Aerosols, flammable 2.1

UN1950

UN1950 Aerosols, flammable 2.1 This product contains an environmentally hazardous substance.

15. Regulatory information

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Pyrethrins	1 lb		RQ 1 lb final RQ
8003-34-7			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			х
7732-18-5			
n-butane	Х	X	Х
106-97-8			
Propane	Х	Х	Х
74-98-6			
Permethrin	X	X	
52645-53-1			

Pyrethrins	X	X	Х
8003-34-7			

U.S. EPA Label information

EPA Pesticide registration number 498-146

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Breathing spray mist may be harmful. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

16. Other information						
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable		
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection		
Prepared by Issue date Revision note This SDS supersede	Regulatory Department 13-Jun-2023 s a previous SDS dated: 23-Jul-2018					

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet