

Safety Data Sheet

Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier Product name Chemical name	CHAMPION SPRAYON ANTI_FOG PLEXIGLASS CLEANE 7-7750-4	R
Other means of identification Product code Synonyms	FG 438-5142-8 Plexiglass Cleaner	
Recommended use of the chemical Recommended Use Uses advised against	and restrictions on use Plexiglass and glass cleaner. DO NOT USE ON FLOORS	
Details of the supplier of the safety Supplier Address Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-865-1000	data sheet Manufacturer Address Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-865-1000	
Emergency Telephone Number Company Phone Number 24 Hour Emergency Phone Number Emergency telephone	708-865-1000 1-800-255-3924 ChemTel 1-800-255-3924	
	2. Hazards Identification	
<u>Classification</u>		
Gases Under Pressure	Compre	ssed Gas
Label Elements		

EMERGENCY OVERVIEW

Warning				
Contains gas	under pressure; may explode if l	neated		
Ê				
Appearance aerosolized.	Clear liquid that will be	Physical State Aerosol	Odor	Perfumed.

Precautionary Statements - Storage Protect from sunlight. Store in a well-ventilated place

Hazards not otherwise classified (HNOC)

Other Information

-

Harmful to aquatic life with long lasting effects

3. Composition/information on Ingredients

Common Name Synonyms Chemical Family Formula Chemical nature Anti-fog Plexiglass Cleaner. Plexiglass Cleaner. MIXTURES. 7-7750-4 Aqueous solution of organic solvent.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	85-90	*
Ethyl alcohol	64-17-5	1-5	*
N-Butane	106-97-8	1-5	*
Propane-1,3-diol	504-63-2	1-5	*
Propane	74-98-6	1-5	*

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

5. Fire-fighting measures		
Note to physicians	None needed.	
Indication of any immediate medical attention and special treatment needed		
Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation. Contains less than 1% 2-butoxyethanol. Chronic: 2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage.	
Most important symptoms and effe	ects, both acute and delayed	
Ingestion	Ingestion from an aerosol product is unlikely to occur.	
Inhalation	If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get medical attention if injury develops.	
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.	
Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Evo Contact	Hold ave open and rince clewly and gently with water for 15 20 minutes. Remove contact	

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame. Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

sonal precautions, protective equipment and emergency procedures
--

Personal precautions	Use with adequate general or local exhaust ventilation.
For emergency responders	Remove all sources of ignition.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.
Methods for cleaning up	Clean contaminated surface thoroughly.
	7. Handling and Storage
Precautions for safe handling	
Advice on safe handling	Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	

Incompatible Materials

8. Exposure Controls/Personal Protection

Avoid heat, open flame and contact with strong oxidizers.

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
			TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm

FG 438-5142-8 CHAMPION SPRAYON ANTI_FOG PLEXIGLASS CLEANER

74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	ç
Appropriate engineering controls			
Engineering controls	Use with adequate general or local exhaust ventilation.		
Individual protection measures, such as personal protective equipment			
Eye/face Protection	Conventional eyeglasses to guard against splashing.		
Skin and Body Protection	Household type gloves, if desired.		
Respiratory protection	None required if used in a well-ventilated area .		
General hygiene considerations	Wash hands thoroughly after h	nandling.	
9. Physical and Chemical Properties			

Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Clear liquid that will be aerosolized. clear	Odor Odor threshold	Perfumed. No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	<u>Values</u> 10.25 Not applicable Water 212 °F/100 °C Not Available. This is an aerosol product for which Flame Projection is 0 inches. Temperatures above 120 °F may cause cans to burst.	Remarks • Method No information available No information available No information available No information available	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility	Faster than butyl acetate Not available Not available 0.992 - 1.102 concentrate	No information available No information available No information available No information available No information available No information available Soluble in water	
Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available	No information available No information available No information available No information available No information available	
Other Information Softening point Molecular weight VOC content (%) Density Bulk Density	No information available No information available 9.76% 8.26 lb/gal No information available		

10. Stability and Reactivity

Reactivity

Not applicable

Not applicable

Chemical stability Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information	This product has not been tested as whole. See below for information on ingredients.
Inhalation	No data available.
Eye Contact	No data available.
Skin contact	No data available.
Ingestion	This is an aerosol product, ingestion is unlikely to occur. Contains less than 1% 2-butoxyethanol. 2-Butoxyethanol may cause red blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Propane-1,3-diol 504-63-2	= 15.8 g/kg (Rat)	> 20 g/kg (Rabbit)	> 5 mg/L (Rat)4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat)15 min

Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	This product has not been tested as whole. See information below for ingredients.
Serious eye damage/eye irritation	No information available.
corrosivity	Not applicable.
sensitization	No a skin sensitizer.
Germ cell mutagenicity	No information available.
Carcinogenicity	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as
Carcinogenicity	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	Х
64-17-5				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and
-	nausea.

Numerical measures of toxicity - Product Information

Unknown acute toxicity	-
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	9814 mg/kg
ATEmix (dermal)	22989 mg/kg
ATEmix (inhalation-gas)	1000000 mg/l
ATEmix (inhalation-dust/mist)	2598.1 mg/l
ATEmix (inhalation-vapor)	2243.7 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Ethyl alcohol		100: 96 h Pimephales	EC50 = 34634 mg/L 30 min	2: 48 h Daphnia magna
64-17-5		promelas mg/L LC50 static	EC50 = 35470 mg/L 5 min	mg/L EC50 Static 9268 -
		13400 - 15100: 96 h	_	14221: 48 h Daphnia magna
		Pimephales promelas mg/L		mg/L LC50 10800: 24 h
		LC50 flow-through 12.0 -		Daphnia magna mg/L EC50
		16.0: 96 h Oncorhynchus		
		mykiss mL/L LC50 static		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	
N-Butane	2.89
106-97-8	
Propane	2.3
74-98-6	

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods	
Disposal of wastes	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Chemica		California Hazardous Waste Status		
Ethyl alcohol 64-17-5		Toxic Ignitable		
14. Transport Information				
DOT UN/ID no Proper Shipping Name Hazard Class	Limited Quantity Consumer Commodity ORM-D			
IATA UN/ID no Proper Shipping Name Hazard Class	UN1950 Aerosols, flammable 2.1			
IMDG UN/ID no Proper Shipping Name Hazard Class Marine pollutant	UN1950 Aerosols, flammable 2.1 This product does not contai	n marine pollutants.		

15. Regulatory information

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
Ethyl alcohol 64-17-5	Х	X	Х
N-Butane 106-97-8	Х	X	Х
Propane 74-98-6	Х	X	Х

U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information				
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection
Prepared by Issue date Revision note	Regulatory Department 05-Oct-2020			

This SDS supersedes a previous SDS dated May 15, 2019.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet